

Logging Software Workshop: Writelog von K5XD

BCC HL3K Treffen 2003

Tobias Wellnitz, DH1TW



Inhalt

- Hardware / Software Anforderungen
- Bedienung / Ergonomie
- Einrichten für den WWDX
- Single OP 2 Radio
- Vernetzung / Multi OP
- RTTY / PSK31
- Support




Software / Hardware Anforderungen

- MS Windows (95, 98, ME, NT, 2000, XP)
- Minimum CPU 486 / 100 MHz
- Empfohlen CPU > Pentium II / 300 MHz

Bedienung / Ergonomie

- Voll CT Kompatibel
- Keine Maus nötig...
- Variable Anordnung der Fenster
- Darstellung auf bis zu 4 Monitoren
- Einbindung von Windows Software
(zB Makroprogrammen)
- Online Hilfe verfügbar





WriteLog Contest Selection

- ARRL VHF Sweepstakes
- BARTG RTTY Contest
- BARTG RTTY Sprint
- California QSO Party (in state)
- California QSO Party (out of state)
- CQ World Wide RTTY Contest
- CQ WW 160m Contest
- CQ WW DX Contest: CW
- CQ WW DX Contest: Phone**
- CQ WW WPX Contest: CW
- CQ WW WPX Contest: Phone
- DARC 10m Contest

Custom... OK Cancel

Unbenannt - WriteLog

File Edit View Entry Radio Bands Setup Tools Contest Window Help

DF3AX	DF3IU	DF3YJ
DF3BH	DF3JO	DF3ZE
DF3CB	DF3KV	DF3ZP
DF3CE	DF3NCF	DL7DF/HI3
DF3DCB	DF3ND	
DF3EH	DF3OE	
DF3GY	DF3DL	
DF3HD	DF3QG	
DF3HU	DF3SMA	
DF3IN	DF3TE	
DF3IR	DF3TH	
DF3IS	DF3WY	

Score: 0			
	QSO	ZN	DX
160M	0	0	0
80M	0	0	0
40M	0	0	0
20M	0	0	0
15M	0	0	0
10M	0	0	0
Total	0	0	0

RTTY Window
Packet Window
Band Map Window
<input checked="" type="checkbox"/> QSO Entry Window
Edit QSO tool
<input checked="" type="checkbox"/> Band Summary
Check Call
<input checked="" type="checkbox"/> Super check partial
Search and Pounce Memories
Rates
Beam Headings
Networked Frequencies
Network Gab
Packet Spots
CW Display
Skeds
Band Changes

SEQ	DATE	TIME	FREQ	CALL	SN	RS	ZN

Radio	SEQ	CALL	RS	ZN
1800 kHzLSB	1	DF3	59	

Open a band map window for the current Entry Window 32 WPM IQ WW DX Contest: Phone

- Bandmap

File

Windows taskbar: Start | [WriteLog] | [4. Jay...] | [bcc_p...] | [Windo...] | [Unbe...] | [- Ban...] | [System Tray] | 17:29

Unbenannt - WriteLog

File Edit View Entry Radio Bands Setup Tools Contest Window Help

DF3AX	DF3IU	DF3YJ
DF3BH	DF3JO	DF3ZE
DF3CB	DF3KV	DF3ZP
DF3CE	DF3NCF	DL7DF/HI3
DF3DCB	DF3ND	
DF3EH	DF3OE	
DF3GY	DF3OL	
DF3HD	DF3QG	
DF3HU	DF3SMA	
DF3IN	DF3TE	
DF3IR	DF3TH	
DF3IS	DF3WY	

160M
80M
40M
20M
15M
10M

0/hr last 0 min
0/hr last 0 min
All bands
Time On 00:00
Time Off 00:00

Score: 0


	QSO	ZN	DX
160M	0	0	0
80M	0	0	0
40M	0	0	0
20M	0	0	0
15M	0	0	0
10M	0	0	0
Total	0	0	0

Bands All Banc Mults Only Auto Scrol
 In-band Only

SEQ	DATE	TIME	FREQ	CALL	SNT	RST	Z
-----	------	------	------	------	-----	-----	---

Radio SEQ CALL RST ZN
1800 kHzCW 1 DF3 599

WriteLog for Windows 32 WPM CQ WW DX Contest: CW



Unbenannt - WriteLog

File Edit View Entry Radio Bands Setup Tools Contest Window Help

DF34X	DF3IU	DF3YJ
DF38H	DF3JO	DF3ZE
DF3CB	DF3KV	DF3ZP
DF3CE	DF3NCF	DL7DF/H13
DF3DCB	DF3ND	
DF3EH	DF3OE	
DF3GY	DF3OL	
DF3HD	DF3QG	
DF3HU	DF3SMA	
DF3IN	DF3TE	
DF3IR	DF3TH	
DF3IS	DF3WY	

Score: 0

	QSO	ZN	DX
160M	0	0	0
80M	0	0	0
40M	0	0	0
20M	0	0	0
15M	0	0	0
10M	0	0	0
Total	0	0	0

Ports...

Display format...

CW/RTTY/SSB messages...

CW Decoder...

Sort ordering and serial numbers...

Log which radio makes the QSO

Register to accept network connections...

Link to Network...

Network Display Name...

Disconnect Network

Mults Only Auto Scrol

In-band Only

RTTY Single Tx Lockout -- First one wins

RTTY Single Tx Lockout -- Last one wins

Great Circle...

Log Window Font...

Entry Window Font...

Band Summary...

Super Check Partial...

Save Configuration...

0/hr last 0 min

0/hr last 0 min

All bands

Time On 00:00

Time Off 00:00

SEQ

SNT RST Z

Radio

1800 kHzCW

SEQ CALL RST ZN

1 DF3 599

Setup the use of LPT and COM ports

32 WPM

CQ WW DX Contest: CW

Bandmap

File

1780

1790

1800

1810

1820

Start

Re: [...]

4. CA...

bcc_p...

Windo...

Unbe...


- Ban...

18:03



Peripherie Einstellungen

- Max 4 Radios
- CW an COM / LPT
- Banddata an LPT
- Radio A/B an LPT
- PTT Verzögerung
- CW mit PC, PK232,...
- DVK, Soundboard, Rig
- Contest Recording („QSO on Click“)
- 2 Rotoren



Unbenannt - WriteLog

File Edit View Entry Radio Bands Setup Tools Contest Window Help

DF3AX	DF3IU	DF3YJ
DF3BH	DF3JO	DF3ZE
DF3CB	DF3KV	DF3ZP
DF3CE	DF3NCF	DL7DF/HI3
DF3DCB	DF3ND	
DF3EH	DF3OE	
DF3GY	DF3OL	
DF3HD	DF3QG	
DF3HU	DF3SMA	
DF3IN	DF3TE	
DF3IR	DF3TH	
DF3IS	DF3WY	

160M
80M
40M
20M
15M
10M

0/hr last 0 min
0/hr last 0 min
All bands
Time On 00:00
Time Off 00:00

Score: 0


	QSO	ZN	DX
160M	0	0	0
80M	0	0	0
40M	0	0	0
20M	0	0	0
15M	0	0	0
10M	0	0	0
Total	0	0	0

Bands All Banc Mults Only Auto Scrol
 In-band Only

SEQ	DATE	TIME	FREQ	CALL	SNT	RST	Z

Radio SEQ CALL RST ZN
1800 kHzCW 1 DF3 599

WriteLog for Windows 32 WPM CQ WW DX Contest: CW



Bandmap (Left): 7050, 7060, 7070, 7080, 7090

Call signs: I5REA, I6DHY/P, CE3CDV, EA7ST, IZ5CMI/P, EA9CP/EA, IK5PWN/P, CM7NO, IT9NVA/P, TI0RC, RW3RN, I6DHY/P, JA2BAY

wwdx02ssb - WriteLog

File Edit View Entry Radio Bands Setup Tools Contest Window Help

160m				
80m				
40m	22	0014Z	TI5N	59 7
20m	262	0339Z	TI5N	59 7
15m	1136	1432Z	TI5N	59 7
10m	2174	1156Z	TI5N	59 7

0/hr last 0 min
0/hr last 0 min
All bands
Time On 44:18
Time Off: 1698:28

Score: 3.319.624

QSO	ZN	DX
160m	155	7 45
80m	246	10 51
40m	414	24 80
20m	427	27 96
15m	521	31 97
10m	898	35 113
Total	2661	134 482

Costa Rica

Direction 278
LP Direction 98
Distance 9371
Reverse Bearing 40
Sunrise 11:55Z
Sunset 23:29Z

Bands All Bands
 Mults Only Auto Scrol
 In-band Only

M V51HK	21265.0	0659Z
M FK8GM	21285.0	0740Z
M A4/IV3NCC	21305.0	0800Z
M JT1CL	21250.0	0820Z
M 59	21270.0	1046Z
M R1ANB	21275.0	1042Z
M OY4TN	21242.0	1058Z

TI5N

SEQ	DATE	TIME	FREQ	CALL
11	2002-10-26	0000	7090	RU1A
12		0002	14179	RK9AWC
13		0002	14179	RK9AWA
14		0003	7083	IH9P
15		0005	7077	RUBLWZ
17		0006	7075	EN7Z
18		0008	7053	TM5C

Radio

21290 kHzUSB L

7070 kHzLSB



2779 TI5N 59 7_ _
Dupe on 7054 at 0014Z

WriteLog for Windows 32 WPM 32 WPM CQ WW DX Contest: Phone

Bandmap (Right): 21270, 21280, 21290, 21300, 21310

Call signs: VK2NZ, OM0CS, UX9IM, HF70I, 2W0DAA, R1ANB, EK3SA, CN8NK, VK6LG, ES1QD, FK8GM, IZ8EFD, DK5UX, LA3FKA, 3V/F5VHH, HF70A, HF70A, IV3NCC/A4, A4/IV3NCC

Multiplier Fenster



- Bänder farblich getrennt
- zB auf zweitem Monitor darstellbar



Vernetzung / Multi OP

- Basiert auf Microsoft's NetBEUI

Standard Funktionen:

- Network Gab

```
A 03012      HC10T QSY to 14.258
A 03012      rgr - tnx
A 03012      ok - QSY auf 15m
A 03022      mir reicht's... ich hol mir jetzt erstmal ein Weissbier
```

- Frequenzen

STN	R MODE	TX	RX
A	CW	7052.0	7052.0

- Bandwechsel

R	<input checked="" type="radio"/>	changes in 60 min:	0
M	<input checked="" type="radio"/>	changes in 60 min:	0

NEU: Internet Logbuch -> IARU 2002 W1AW/5

File Edit Port Mode IU type FSK name: FSK new: Help

KFVXVPMWCYYKJQTXVQTXLDDKKUH
 /YAEBKQPVVVWVCMXVZUV
 KIE: ;//, QZKQBYMGXJ (0&' 8092, &GVGVVCQVR
 QAVI/YPXBCUWKGXOMMKYYXKGXXX/: &2\$!;?2?!;J7101&. &TRXUUVCKWCP
 GJXVKMIJQBIKMSXXVQKXXHBQVQWQVVPWKXXVKFQQ1PXB\$/ (;7' (), : &XEXI
 (QKBWHQKXDOPYRHQYXPXVUTKXWKIKXYOXHJGYWQBQ/XQGVXPUWVCQI (/ , JI
 1;11(, HFKXD2';&;60!. (6TMXUGGFMVK

Band
 Sco
 80M
 40M
 20M
 15M
 10M
 Total

WPX98.wl - WriteLog File Edit View Entry Radio Bands Options Tools Contest Help


80M OK
 40M OK
 20M OK
 15M 1327 2352Z JA1CPZ 599 017 J
 10M OK

JA1CPZ

SEQ	DATE	TIME	FREQ	CALL	SN	RS	NUMB	P	MULS	PX
1091	15-FEB-1998	2353	14085	VK2FLA	599	599	005	3		VK2
1328		2354	21087	JL2MCG	599	599	013	3	556	JL2
1092		2354	14085	K3LL	599	599	032	2		K3

Radio 14085 KHzFSK

SEQ	CALL	RS	NUMB	COUNTRY	C
-	JA1CPZ	599			




Export / Import

Export Möglichkeiten:



- File version of print chronological...
- File version of dupe sheet...
- DIFF spreadsheet format...
- ASCII with no formatting, by time...
- ASCII with no formatting, by band...
- ASCII with no formatting, by radio...
- Comma delimited ASCII...
- Minimal comma delimited ASCII...
- WK1 spreadsheet format...
- ADIF file...
- Cabrillo file...

Für DARC Wettbewerbe: **.STF**

Import: ADIF



Post Contest Statistiken





Sonstige Features

- QSL Label Druck
- Simulator
- OLE Schnittstelle
- Support für K5XD's SO2R Box
- Support für Zusatzprogrammentwickler
- Exzellenter Support
 - > Tutorial für Erstnutzer (www.k9jy.com)
 - > Aktive Mailingliste (writelog@contesting.com)

Writelog:


Entwickelt von: Wayne, E. Wright W5XD


Vertrieben von: Ron Stailey, K5DJ

Preis:

\$75 USD (regulär)

\$35 USD (update)





**Vielen Dank für
Eure
Aufmerksamkeit !**